

# CUBE PRO MINI




## ILLUMINATE SMALL OBJECTS

Compact LED floodlight for outdoor installation on surfaces, the bracket is available in adjustability 100° on horizontal axis. It offers a perfect solution for illuminating small objects, as well as for individual subject such as statues and plants. The luminaire can be equipped with anti-glare optical accessories for maximum visual comfort.


Material: aluminum body with polycarbonate lens




### OPTIC OPTIONS




### LIGHT SOURCE




### CONTROL OPTIONS



### FINISH COLORS



### INSTALLATION






**QUICKINFO**

Floodlight 3W, 1 high-power LED  
 Input voltage DC24V  
 C.V. power supply ordered separately



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
------	-------	-------------	---------	--------------	---------------

0814W3	spot 4° 0004	2700K 2780	ON/OFF	● black 03	160lm
		3000K 3080			
		4000K 4080			




**QUICKINFO**

Floodlight 8W, 1 high-power LEDs  
 Input voltage DC24V  
 C.V. power supply ordered separately



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
------	-------	-------------	---------	--------------	---------------

0814W8	spot 8° 0008 narrow 15° 0015 medium 30° 0030 elliptic 10°x40° 1040	2700K 2780	ON/OFF	● black 03	600lm
		3000K 3080			
		4000K 4080			




**QUICKINFO**

Floodlight 6W, 3 high-power LEDs  
 Input voltage DC24V  
 C.V. power supply ordered separately



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
------	-------	-------------	---------	--------------	---------------

0814W6	spot 7° 0007 medium 20° 0020 medium 30° 0030	2700K 2780	ON/OFF	● black 03	480lm
		3000K 3080			
		4000K 4080			
	RGB	DMX512	180lm		



0814A1 anti-glare visor **aluminum**

suitable for all models

