

# CUBE PRO M




## FREEDOM WITH LIGHTING

Professional LED floodlight that provides a wide range of sizes and wattages to meet lighting design requirements for diversified outdoor architectural facade lighting applications, also it is perfect for producing accent lighting effect at a long distance thank to ultra spot light distributions. The luminaire is complete with robust mechanical design and efficient optical system.


Material: aluminum body with polycarbonate lens




### OPTIC OPTIONS




### LIGHT SOURCE




### CONTROL OPTIONS



### FINISH COLORS



### INSTALLATION






**QUICKINFO**

Floodlight 24W, 9 high-power LEDs  
Input voltage AC100-240V  
Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W24	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	1,800lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	960lm	




**QUICKINFO**

Floodlight 48W, 18 high-power LEDs  
Input voltage AC100-240V  
Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W48	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	3,300lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	1,900lm	




**QUICKINFO**

Floodlight 24W, 18 high-power LEDs  
Input voltage AC100-240V  
Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W24	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	1,900lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	RGB <b>RGB</b>	DMX512	1,100lm
	flood 40° 0040				




**QUICKINFO**

Floodlight 48W, 36 high-power LEDs  
Input voltage AC100-240V  
Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W48	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	3,800lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	RGB <b>RGB</b>	DMX512	2,200lm
	flood 40° 0040				




**QUICKINFO**

Floodlight 72W, 27 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W72	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	5,000lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	2,800lm	




**QUICKINFO**

Floodlight 96W, 36 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W96	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	6,700lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	3,800lm	




**QUICKINFO**

Floodlight 72W, 54 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W72	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	5,700lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	RGB <b>RGB</b>	DMX512	3,200lm
	flood 40° 0040				




**QUICKINFO**

Floodlight 96W, 72 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W96	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	7,700lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	RGB <b>RGB</b>	DMX512	4,300lm
	flood 40° 0040				










**QUICKINFO**


Floodlight 144W, 54 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W144	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	10,000lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	5,700lm	




**QUICKINFO**

Floodlight 192W, 72 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W192	spot 4° 0004	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	13,400lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		RGB <b>RGB</b>	DMX512	7,600lm	




**QUICKINFO**

Floodlight 144W, 108 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W144	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	11,500lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	4000K <b>4080</b>	DMX512	6,400lm
flood 40° 0040	RGB <b>RGB</b>				




**QUICKINFO**

Floodlight 192W, 144 high-power LEDs  
 Input voltage AC100-240V  
 Complete with built-in power supply  
 Dual-adjustment for each head and whole luminaire



**DIMENSIONS**



CODE	Optic	Light color	Control	Finish color	Luminous flux
0816W192	spot 8° 0008	2700K <b>2780</b>	ON/OFF	● black <b>03</b>	15,300lm
		3000K <b>3080</b>			
		4000K <b>4080</b>			
		flood 32° 0032	4000K <b>4080</b>	DMX512	8,600lm
flood 40° 0040	RGB <b>RGB</b>				





**0816A1** anti-glare visor **aluminum**

suitable for all models



**0816A2** honeycomb louvre **PC & Glass**

suitable for all models





